




Complete building envelope system products

Knowledge & support

German technology, proven in New Zealand



Your local support

04 589 8460 | 09 892 9900 | 03 327 4925

Technical: support@proclima.co.nz | General: welcome@proclima.co.nz

www.proclima.co.nz



Class 1

Building Product Information Sheet

Product name (include the brand name):

pro clima AEROSANA® FLEECE

Product description and its intended use (measurements, materials, usage):

AEROSANA® FLEECE is a supplementary product for working with spray-on or brush-on seals from the AEROSANA® VISCONN family. It can be used to reliably cover cracks or joints that are wider than 3 mm (1/8") in the case of AEROSANA® VISCONN or 20 mm (3/4") in the case of AEROSANA® VISCONN FIBRE.

Key Features:

- Reliable airtightness and windtightness: Tested as part of the AEROSANA® VISCONN system
- Easy to work with: Very malleable fleece material
- Excellent values in the hazardous substance test

Product identifier (if applicable):

4026639217158

(This could be a Global Trade Item Number (GTIN) or quick response code (QR code), or any other distinguishable part/model number or identifier.)

Place of manufacture: Aotearoa New Zealand Overseas

Legal and trading name of the manufacturer(s):

MOLL bauökologische Produkte GmbH

Address for service:

STREET NAME Rheintalstraße 35 - 43

SUBURB

CITY, COUNTRY Schwetzingen, GERMANY

POSTCODE 68723

Website:

<http://www.proclima.com>

Email address:

info@proclima.com

Phone no. (if applicable):

+49 (0) 6202 2782-0

NZBN (if applicable):

N/A

Legal and trading name of the importer (if applicable):

Pro Clima (NZ) Ltd

Address for service:

STREET NAME Level 1, 47 The Esplanade

SUBURB Petone

CITY, COUNTRY Lower Hutt, New Zealand

POSTCODE 5012

Website:

www.proclima.co.nz

Email address:

welcome@proclima.co.nz

Phone no. (if applicable):

04 589 8460

NZBN (if applicable):

9429033909561

Relevant Building Code clauses:

- B2 DURABILITY: Performance clauses B2.3.1 (a) not less than 50 years, B2.3.1 (b) 15 years and B2.3.2.
- E3 INTERNAL MOISTURE: Functional requirement clause E3.2
- F2 HAZARDOUS BUILDING MATERIALS: Performance clause F2.3.1.

Statement on how the building product is expected to contribute to compliance:

- B2.3.1 (a), (b) and B2.3.2: AEROSANA® FLEECE helps to create an airtight connection for the life of the building when used as part of the AEROSANA® VISCONN system. It is not designed to be exposed to the elements, and should be covered when in service.
- E3.2: Assists in avoiding the likelihood of moisture damage to building elements when used as part of the AEROSANA® VISCONN system.
- F2.3.1: AEROSANA® FLEECE is safe to handle and will not present a health hazard to people, as it is free from solvents and other dangerous components.

- options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)
- standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured
- physical properties of the building product
- how the building product is intended to be used.

Limitations on the use of the building product:

This product should not be exposed to UV or standing water during the construction or operation of the building.

Design requirements that would support the appropriate use of the building product:

To achieve airtight and/or windtight installation, it is important that AEROSANA® FLEECE is coated with AEROSANA® VISCONN or AEROSANA® VISCONN FIBRE on both sides in the area where it is in contact with the subsurface. This is achieved by spraying or brushing a coating of VISCONN prior to laying in the FLEECE, followed by a further coat of VISCONN.

Installation requirements *(also provide link to the product installation guide):*

Refer to the AEROSANA® VISCONN installation instructions available from www.proclima.co.nz.

Cover any gaps (pieces broken out of the subsurface) or significant unevenness on subsurfaces with AEROSANA® FLEECE. AEROSANA® FLEECE can also be used to seal joints with round penetrations (e.g. pipes).

In the case of larger joints or holes or when sealing penetrations such as pipes or ties, insert AEROSANA FLEECE and paint over it with either AEROSANA® VISCONN or AEROSANA® VISCONN FIBRE.

Maintenance requirements *(also provide link to the product maintenance guide):*

There are no specific maintenance requirements. The product is covered or protected by the subsequent layers of the building assembly and is inaccessible while in service.

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?:

Yes No

If yes, description of the warning or ban under section 26:

N/A

Version:

1

Date:

1 | 1 | 1 | 2 | 2 | 3